

## **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application.

### **LISTING OF CLAIMS**

1. (Previously Presented) A blade clamp assembly for retaining a rotary blade on an arbor of a rotary tool, comprising:

a blade washer for engaging the blade to hold the blade on the arbor; and

a clamp assembly for being threaded into the arbor to clamp the blade washer against the blade, the clamp assembly including a body and a planetary gear system for transmitting torque applied to the clamp assembly to the blade washer,

wherein the body includes a keyed bottom surface and the blade washer comprises a keyed upper surface for engaging the keyed bottom surface of the body, and

wherein the planetary gear system multiplies the torque transmitted to the blade washer so that the torque transmitted to the blade washer is greater than the torque applied to the clamp assembly.

2. (Original) The blade clamp assembly as claimed in claim 1, further comprising a lever extendable from the clamp assembly for increasing the amount of torque applied to the clamp assembly.

3. (Withdrawn) The blade clamp assembly as claimed in claim 1, wherein the clamp assembly further comprises:

a body;

a bolt assembly retained within the body, the bolt assembly including a threaded bolt extending through the body for being threaded into the arbor and a sun gear;

a planet gear engaged with the sun gear and the body for rotating the sun gear; and  
a cap coupled to the body and engaging the planet gear, the cap being turned for driving  
the planet gear,

wherein the planet gear rotates the sun gear for turning the bolt assembly.

4. (Withdrawn) The blade clamp assembly as claimed in claim 3, wherein the body  
includes a keyed bottom surface and the blade washer comprises a keyed upper surface for  
engaging the keyed bottom surface of the housing.

5. (Withdrawn) The blade clamp assembly as claimed in claim 3, wherein the body  
comprises a ring gear for engaging the planet gear.

6. (Withdrawn) The blade clamp as claimed in claim 3, wherein the cap includes a lever  
extendable from the cap for increasing the amount of torque applied to the cap.

7. (Original) The blade clamp assembly as claimed in claim 1, wherein the clamp  
assembly further comprises:

a body;

a planet gear engaged with the body;

a bolt assembly retained within the body, the bolt assembly including a threaded bolt  
extending through the body for being threaded into the arbor and a carrier for supporting the  
planet gear;

a cap coupled to the body, the cap including a sun gear for engaging the planet gear for  
driving the planet gear when the cap is turned,

wherein the sun gear rotates the planet gear for rotating the carrier and turning the bolt  
assembly.

8. (Cancelled)

9. (Original) The blade clamp assembly as claimed in claim 7, wherein the body comprises a ring gear for engaging the planet gear.
10. (Original) The blade clamp as claimed in claim 7, wherein the cap includes a lever extendable from the cap for increasing the amount of torque applied to the cap.
11. (Currently Amended) A rotary tool, comprising:
- a motor;
  - an arbor rotated by the motor for supporting a rotary blade; and
  - a blade clamp assembly for retaining a rotary blade on the arbor, the blade clamp assembly including:
    - a blade washer for engaging the blade to hold the blade on the arbor; and
    - a clamp assembly for being threaded into the arbor to clamp the blade washer against the blade, the clamp assembly including a planetary gear system for transmitting torque applied to the clamp assembly to the blade washer,
- wherein the blade clamp assembly further comprises a lever extendable from the clamp assembly for increasing the amount of torque to the clamp assembly, the lever movable from a first position to a second position where the lever extends outwardly from the clamp assembly in the second position; and
- wherein the planetary gear system multiplies the torque transmitted to the blade washer so that the torque transmitted to the blade washer is greater than the torque applied to the clamp assembly.
12. (Cancelled)
13. (Withdrawn) The rotary tool as claimed in claim 11, wherein the clamp assembly further comprises:

a body;

a bolt assembly retained within the body, the bolt assembly including a threaded bolt extending through the body for being threaded into the arbor and a sun gear;

a planet gear engaged with the sun gear and the body for rotating the sun gear; and

a cap coupled to the body and engaging the planet gear, the cap being turned for driving the planet gear,

wherein the planet gear rotates the sun gear for turning the bolt assembly.

14. (Withdrawn) The rotary tool as claimed in claim 13, wherein the body includes a keyed bottom surface and the blade washer comprises a keyed upper surface for engaging the keyed bottom surface of the housing.

15. (Withdrawn) The rotary tool as claimed in claim 13, wherein the body comprises a ring gear for engaging the planet gear.

16. (Withdrawn) The rotary tool as claimed in claim 13, wherein the cap includes a lever extendable from the cap for increasing the amount of torque applied to the cap.

17. (Original) The rotary tool as claimed in claim 11, wherein the clamp assembly further comprises:

a body;

a planet gear engaged with the body;

a bolt assembly retained within the body, the bolt assembly including a threaded bolt extending through the body for being threaded into the arbor and a carrier for supporting the planet gear;

a cap coupled to the body, the cap including a sun gear for engaging the planet gear for driving the planet gear when the cap is turned,

wherein the sun gear rotates the planet gear for rotating the carrier and turning the bolt assembly.

18. (Previously Presented) The rotary tool as claimed in claim 17, wherein the body includes a keyed bottom surface and the blade washer comprises a keyed upper surface for engaging the keyed bottom surface of the cap.

19. (Original) The rotary tool as claimed in claim 17, wherein the body comprises a ring gear for engaging the planet gear.

20. (Cancelled)

21. (Previously Presented) A blade clamp assembly for retaining a rotary blade on an arbor of a rotary tool, comprising:

means for engaging the blade to hold the blade on the arbor; and

means for clamping the blade engaging means against the blade, the clamping means including means for transmitting torque applied to the clamping means to the blade engaging means,

wherein the blade engaging means and the clamping means include means for engaging, and

wherein the torque transmitting means multiplies the torque transmitted to the blade engaging means so that the torque transmitted to the blade engaging means is greater than the torque applied to the clamping means.

22. (Original) The blade clamp assembly as claimed in claim 21, further comprising means, extendable from the clamping means for increasing the amount of torque applied to the clamping means.